

The Trail Inventory of Tijuana Slough NWR Imperial Beach, CA



Prepared By:
Federal Highway Administration
Central Federal Lands Highway Division
January, 2012



TABLE OF CONTENTS

| <u>SECTION</u> | <u>PAGE</u> |
|--|--------------------|
| I. <u>TRAIL AND TRAIL FEATURE SUMMARIES</u> | 1 - 1 |
| II. <u>TRAIL LOCATION MAPS</u> | 2 - 1 |
| III. <u>TRAIL IDENTIFICATION LIST</u> | 3 - 1 |
| IV. <u>TRAIL CONDITION RATING SHEETS</u> | 4 - 1 |
| V. <u>TRAIL DEFICIENCY RATING SHEETS</u> | 5 - 1 |
| VI. <u>PHOTOGRAPHIC SHEETS</u> | 6 - 1 |
| VII. <u>GLOSSARY</u> | i |

Tijuana Slough NWR

Trail and Trail Feature Summaries

Trail Miles and Percentages by Surface Type and Condition

| Trail Surface Type | Excellent | | Good | | Others | | Total |
|--------------------|-----------|-----|-------|----|--------|------|-------|
| | Miles | % | Miles | % | Miles | % | Miles |
| Native | 3.15 | 96% | 0.09 | 3% | 0.03 | 1% | 3.27 |
| Admin Road | 0.00 | 0% | 0.00 | 0% | 0.77 | 100% | 0.77 |
| Total | 3.15 | 78% | 0.09 | 2% | 0.80 | 20% | 4.04 |

Trail Miles and Percentages by Trail Classification and Condition

| Trail Classification | Excellent | | Good | | Others | | Total |
|----------------------|-----------|------|-------|----|--------|-----|-------|
| | Miles | % | Miles | % | Miles | % | Miles |
| TC2 | 0.18 | 100% | 0.00 | 0% | 0.00 | 0% | 0.18 |
| TC3 | 1.00 | 53% | 0.09 | 5% | 0.80 | 42% | 1.89 |
| TC4 | 1.97 | 100% | 0.00 | 0% | 0.00 | 0% | 1.97 |
| Total | 3.15 | 78% | 0.09 | 2% | 0.80 | 20% | 4.04 |

*Admin Roads are included in the inventory but are not rated for condition.

Trail Features

| Trail Number | Feature Type | Quantity | Grouped Feature | Milepost | Photo |
|--------------|-----------------|----------|-----------------|----------|--------------|
| T300 | Trailhead | 1 | No | 0.00 | TISL_C2_1238 |
| T300 | Sign | 4 | No | 0.00 | TISL_C2_1238 |
| T300 | Sign | 1 | No | 0.03 | TISL_C2_1242 |
| T300 | Begin Section | 1 | No | 0.03 | TISL_C2_1243 |
| T300 | Begin Section | 1 | No | 0.05 | TISL_C2_1258 |
| T300 | Begin Section | 1 | No | 0.06 | TISL_C2_1253 |
| T300 | Begin Section | 1 | No | 0.07 | TISL_C2_1275 |
| T300 | Begin Section | 1 | No | 0.08 | TISL_C2_1274 |
| T300 | Begin Section | 1 | No | 0.08 | TISL_C2_1255 |
| T300 | Sign | 1 | No | 0.09 | TISL_C2_1241 |
| T300 | Bench | 3 | No | 0.11 | |
| T300 | Bridge -sf | 750 | No | 0.11 | TISL_C2_1245 |
| T300 | Bridge -sf | 85 | No | 0.11 | TISL_C2_1259 |
| T300 | Sign | 6 | Yes | 0.14 | TISL_C2_1244 |
| T300 | Begin Section | 3 | No | 0.15 | TISL_C2_1272 |
| T300 | Bridge -sf | 60 | No | 0.15 | TISL_C2_1273 |
| T300 | Begin Section | 1 | No | 0.16 | TISL_C2_1251 |
| T300 | Begin Section | 1 | No | 0.18 | TISL_C2_1271 |
| T300 | Bridge -sf | 96 | No | 0.20 | TISL_C2_1267 |
| T300 | Begin Section | 1 | No | 0.20 | |
| T300 | Begin Section | 1 | No | 0.20 | |
| T300 | Sign | 2 | No | 0.22 | TISL_C2_1138 |
| T300 | Begin Section | 1 | No | 0.22 | |
| T300 | Bridge -sf | 1,190 | No | 0.22 | TISL_C2_1254 |
| T300 | Sign | 1 | No | 0.22 | TISL_C2_1268 |
| T300 | Sign | 1 | No | 0.24 | TISL_C2_1296 |
| T300 | Begin Section | 1 | No | 0.25 | TISL_C2_1262 |
| T300 | Step: Log -each | 5 | No | 0.27 | |
| T300 | Lookout/Ob Deck | 1 | No | 0.27 | |
| T300 | Sign | 1 | No | 0.28 | TISL_C2_1139 |
| T300 | Bench | 2 | No | 0.28 | |
| T300 | Step: Log -each | 6 | No | 0.28 | |
| T300 | Sign | 1 | No | 0.28 | TISL_C2_1263 |
| T300 | Begin Section | 1 | No | 0.28 | TISL_C2_1264 |
| T300 | Begin Section | 1 | No | 0.29 | TISL_C2_1265 |
| T300 | Bench | 1 | No | 0.30 | |
| T300 | Sign | 2 | No | 0.30 | TISL_C2_1266 |
| T300 | Begin Section | 1 | No | 0.31 | TISL_C2_1260 |

| | | | | | |
|------|-----------------|----|-----|------|--------------|
| T300 | Bench | 2 | No | 0.34 | |
| T300 | Step: Log -each | 8 | Yes | 0.37 | |
| T302 | Trailhead | 1 | No | 0.00 | TISL_C2_1297 |
| T302 | Sign | 1 | No | 0.00 | TISL_C2_1298 |
| T302 | Sign | 3 | No | 0.00 | TISL_C2_1300 |
| T302 | Sign | 5 | Yes | 0.01 | TISL_C2_1299 |
| T302 | Sign | 8 | Yes | 0.03 | TISL_C2_1302 |
| T302 | Sign | 2 | No | 0.28 | TISL_C2_1159 |
| T302 | Sign | 4 | No | 0.39 | TISL_C2_1160 |
| T302 | Begin Section | 1 | No | 0.39 | TISL_C2_1309 |
| T302 | Begin Section | 1 | No | 0.77 | TISL_C2_1303 |
| T400 | Gate | 1 | No | 0.00 | |
| T400 | Trailhead | 1 | No | 0.00 | TISL_C2_1286 |
| T400 | Bench | 2 | No | 0.02 | |
| T400 | Sign | 1 | Yes | 0.02 | TISL_C2_1287 |
| T400 | Sign | 1 | No | 0.16 | TISL_C2_1142 |
| T400 | Culvert -lf | 20 | No | 0.23 | |
| T400 | Sign | 3 | No | 0.26 | TISL_C2_1143 |
| T400 | Sign | 2 | Yes | 0.38 | TISL_C2_1289 |
| T400 | Sign | 2 | No | 0.45 | TISL_C2_1144 |
| T400 | Sign | 4 | No | 0.60 | TISL_C2_1145 |
| T400 | Sign | 2 | No | 0.73 | TISL_C2_1146 |
| T400 | Begin Section | 1 | No | 0.73 | TISL_C2_1294 |
| T400 | Bench | 1 | No | 0.73 | |
| T400 | Sign | 3 | No | 0.73 | TISL_C2_1147 |
| T400 | Sign | 4 | No | 0.74 | TISL_C2_1148 |
| T400 | Begin Section | 1 | No | 0.88 | TISL_C2_1290 |
| T400 | Sign | 1 | No | 0.90 | TISL_C2_1291 |
| T400 | Sign | 3 | No | 0.91 | TISL_C2_1149 |
| T400 | Sign | 1 | No | 0.92 | TISL_C2_1158 |
| T400 | Bench | 1 | No | 0.94 | |
| T400 | Sign | 2 | No | 0.98 | TISL_C2_1150 |
| T400 | Sign | 4 | Yes | 1.06 | TISL_C2_1151 |
| T400 | Sign | 1 | No | 1.14 | TISL_C2_1152 |
| T400 | Begin Section | 1 | No | 1.14 | TISL_C2_1293 |
| T400 | Sign | 2 | No | 1.17 | TISL_C2_1153 |
| T400 | Bench | 1 | No | 1.22 | |
| T400 | Sign | 2 | No | 1.22 | TISL_C2_1154 |
| T400 | Sign | 2 | No | 1.38 | TISL_C2_1155 |
| T400 | Sign | 4 | No | 1.42 | TISL_C2_1156 |
| T400 | Sign | 1 | No | 1.54 | TISL_C2_1157 |
| T400 | Bench | 1 | No | 1.54 | |

sf - square feet

lf - linear feet

cf - cubic feet

Tijuana Slugh NWR Trail Location Map



Station Boundary



HQ/VC

0 0.35 0.7 Miles

Trails ID

Station Name: Tijuana Slough NWR

Org Code: 81681

| Trail Number | Trail Name | Surface Type | SAMMS | Trail Mileage | Trail Description (Begin and End point of trail) |
|--------------|-------------------|--------------|----------|---------------|---|
| T300 | North McCoy Trail | Native | 10001572 | 1.12 | From Headquarters parking (Rte 900) to end of trail |
| T302 | Equestrian Trail | Admin Road | 10036123 | 0.77 | From Trailhead at Iris Ave. to End of Trail |
| T302 | Equestrian Trail | Native | 10036123 | 0.18 | From Trailhead at Iris Ave. to End of Trail |
| T400 | South McCoy Trail | Native | 10001534 | 1.97 | From 5th and Iris Trailhead parking (Rte 901) to end of trail |

TRAIL CONDITION



Trail Name: North McCoy Trail
Trail Number: T300

Refuge Name: Tijuana Slough NWR
Region: 8

Total Length: 1.12 Miles

| Section Number | 001 | 002 | 003 | 004 | 005 |
|------------------------------------|------------|------------|------------|------------|------------|
| Section Length (miles) | 0.09 | 0.31 | 0.01 | 0.16 | 0.02 |
| SAMMS Number | 10001572 | 10001572 | 10001572 | 10001572 | 10001572 |
| Rating Date | 01/22/2007 | 01/22/2007 | 01/22/2007 | 01/22/2007 | 01/22/2007 |
| Trail Section Information | | | | | |
| Trail Class | TC3 | TC3 | TC3 | TC3 | TC3 |
| Surface Type | Native | Native | Native | Native | Native |
| Surface Firmness | Firm | Firm | Firm | Firm | Firm |
| Width (inches) | 60 | 120 | 96 | 120 | 72 |
| Average Grade (%) | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| Average X-slope (%) | 3.90 | 3.90 | 3.90 | 3.90 | 3.90 |
| Trail Condition Information | | | | | |
| Deferred Maintenance | \$336 | | | | |
| CRV | \$11,573 | \$79,725 | \$2,055 | \$41,149 | \$3,088 |
| FCI | 0.03 | 0.00 | 0.00 | 0.00 | 0.00 |
| Condition | Good | Excellent | Excellent | Excellent | Excellent |

TRAIL CONDITION




Trail Name: North McCoy Trail
Trail Number: T300

Refuge Name: Tijuana Slough NWR
Region: 8

Total Length: 1.12 Miles

| Section Number | 006 | 007 | 008 | 009 | 010 |
|------------------------------------|------------|------------|------------|------------|------------|
| Section Length (miles) | 0.26 | 0.06 | 0.03 | 0.02 | 0.01 |
| SAMMS Number | 10001572 | 10001572 | 10001572 | 10001572 | 10001572 |
| Rating Date | 01/22/2007 | 01/22/2007 | 01/22/2007 | 01/22/2007 | 01/22/2007 |
| Trail Section Information | | | | | |
| Trail Class | TC3 | TC3 | TC3 | TC3 | TC3 |
| Surface Type | Native | Native | Native | Native | Native |
| Surface Firmness | Firm | Firm | Firm | Firm | Firm |
| Width (inches) | 72 | 36 | 60 | 90 | 90 |
| Average Grade (%) | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| Average X-slope (%) | 3.90 | 3.90 | 3.90 | 3.90 | 3.90 |
| Trail Condition Information | | | | | |
| Deferred Maintenance | | | | | |
| CRV | \$40,121 | \$4,627 | \$3,858 | \$3,858 | \$1,929 |
| FCI | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Condition | Excellent | Excellent | Excellent | Excellent | Excellent |

TRAIL CONDITION





Trail Name: North McCoy Trail
Trail Number: T300

Refuge Name: Tijuana Slough NWR
Region: 8

Total Length: 1.12 Miles

| Section Number | 011 | 012 | 013 | 014 | 015 |
|------------------------------------|------------|------------|------------|------------|------------|
| Section Length (miles) | 0.02 | 0.02 | 0.03 | 0.02 | 0.02 |
| SAMMS Number | 10001572 | 10001572 | 10001572 | 10001572 | 10001572 |
| Rating Date | 01/22/2007 | 01/22/2007 | 01/22/2007 | 01/22/2007 | 01/22/2007 |
| Trail Section Information | | | | | |
| Trail Class | TC3 | TC3 | TC3 | TC3 | TC3 |
| Surface Type | Native | Native | Native | Native | Native |
| Surface Firmness | Firm | Firm | Firm | Firm | Firm |
| Width (inches) | 70 | 70 | 40 | 50 | 60 |
| Average Grade (%) | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| Average X-slope (%) | 3.90 | 3.90 | 3.90 | 3.90 | 3.90 |
| Trail Condition Information | | | | | |
| Deferred Maintenance | | | \$4,458 | | |
| CRV | \$3,000 | \$3,000 | \$2,572 | \$2,143 | \$2,572 |
| FCI | 0.00 | 0.00 | 1.73 | 0.00 | 0.00 |
| Condition | Excellent | Excellent | | Excellent | Excellent |

TRAIL CONDITION



Trail Name: North McCoy Trail
Trail Number: T300

Refuge Name: Tijuana Slough NWR
Region: 8


Total Length: 1.12 Miles

| | | |
|------------------------------------|------------|------------|
| Section Number | 016 | 017 |
| Section Length (miles) | 0.02 | 0.02 |
| SAMMS Number | 10001572 | 10001572 |
| Rating Date | 01/22/2007 | 01/22/2007 |
| Trail Section Information | | |
| Trail Class | TC3 | TC3 |
| Surface Type | Native | Native |
| Surface Firmness | Firm | Hard |
| Width (inches) | 48 | 72 |
| Average Grade (%) | 3.3 | 3.3 |
| Average X-slope (%) | 3.90 | 3.90 |
| Trail Condition Information | | |
| Deferred Maintenance | | |
| CRV | \$2,055 | \$3,088 |
| FCI | 0.00 | 0.00 |
| Condition | Excellent | Excellent |

Trail Condition TOTALS

| | | | |
|----------------------|-----------|------|-----------|
| Deferred Maintenance | CRV | FCI | Condition |
| \$4,795 | \$210,414 | 0.01 | Excellent |

TRAIL CONDITION



Trail Name: Equestrian Trail
Trail Number: T302

Refuge Name: Tijuana Slough NWR
Region: 8

Total Length: 0.95 Miles

| Section Number | 001 | 002 | 003 |
|------------------------------------|------------|------------|------------|
| Section Length (miles) | 0.77 | 0.08 | 0.10 |
| SAMMS Number | 10036123 | 10036123 | 10036123 |
| Rating Date | 01/22/2007 | 01/22/2007 | 01/22/2007 |
| Trail Section Information | | | |
| Trail Class | TC3 | TC2 | TC2 |
| Surface Type | Admin Road | Native | Native |
| Surface Firmness | Soft | Soft | Soft |
| Width (inches) | 84 | 24 | 36 |
| Average Grade (%) | 4.6 | 4.6 | 4.6 |
| Average X-slope (%) | 10.60 | 10.60 | 10.60 |
| Trail Condition Information | | | |
| Deferred Maintenance | | | |
| CRV | | \$4,116 | \$7,715 |
| FCI | | 0.00 | 0.00 |
| Condition | | Excellent | Excellent |

Trail Condition TOTALS

| Deferred Maintenance | CRV | FCI | Condition |
|----------------------|----------|------|-----------|
| | \$11,831 | 0.00 | Excellent |

TRAIL CONDITION



Trail Name: South McCoy Trail
Trail Number: T400

Refuge Name: Tijuana Slough NWR
Region: 8


Total Length: 1.97 Miles

| Section Number | 001 | 002 | 003 | 004 |
|------------------------------------|------------|------------|------------|------------|
| Section Length (miles) | 0.94 | 0.66 | 0.17 | 0.20 |
| SAMMS Number | 10001534 | 10001534 | 10001534 | 10001534 |
| Rating Date | 01/22/2007 | 01/22/2007 | 01/22/2007 | 01/22/2007 |
| Trail Section Information | | | | |
| Trail Class | TC4 | TC4 | TC4 | TC4 |
| Surface Type | Native | Native | Native | Native |
| Surface Firmness | Hard | Hard | Hard | Hard |
| Width (inches) | 112 | 112 | 112 | 112 |
| Average Grade (%) | 1.7 | 1.7 | 1.7 | 1.7 |
| Average X-slope (%) | 3.10 | 3.10 | 3.10 | 3.10 |
| Trail Condition Information | | | | |
| Deferred Maintenance | \$108 | | | |
| CRV | \$225,630 | \$158,423 | \$40,808 | \$48,007 |
| FCI | 0.00 | 0.00 | 0.00 | 0.00 |
| Condition | Excellent | Excellent | Excellent | Excellent |

Trail Condition TOTALS

| Deferred Maintenance | CRV | FCI | Condition |
|----------------------|-----------|------|-----------|
| \$108 | \$472,867 | 0.00 | Excellent |

TRAIL DEFICIENCY



Trail Name: North McCoy Trail

Refuge Name: Tijuana Slough NWR



Trail Number: T300

Region: 8

Total Length: 1.12 Miles

| | | | |
|----------------------|----------------------|--------------|--------------|
| Mile Post | 0.05 | 0.05 | 0.18 |
| Section Number | 001 | 001 | 013 |
| Photo Number | TISL_C2_1240 | TISL_C2_1240 | TISL_C2_1270 |
| Deficiency | Erosion | Other | Drainage |
| Action | Build/Add | Repair | Build/Add |
| Item | Water Bar:Wood -each | Tread -sf | Bridge -sf |
| Quantity | 2 | 15 | 70 |
| Deferred Maintenance | \$251 | \$86 | \$4,458 |

TRAIL DEFICIENCY



Trail Name: South McCoy Trail

Refuge Name: Tijuana Slough NWR

Trail Number: T400

Region: 8

Total Length: 1.97 Miles

| | |
|----------------------|--------------|
| Mile Post | 0.32 |
| Section Number | 001 |
| Photo Number | TISL_C2_1288 |
| Deficiency | Other |
| Action | Repair |
| Item | Tread -sf |
| Quantity | 24 |
| Deferred Maintenance | \$108 |

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1238 - MP 0.00 - Trailhead

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1238 - MP 0.00 - Sign

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1241 - MP 0.09 - Sign

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1243 - MP 0.03 - Begin Section

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1242 - MP 0.03 - Sign

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1245 - MP 0.11 - Bridge -sf

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1244 - MP 0.14 - Sign

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1251 - MP 0.16 - Begin Section

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1253 - MP 0.06 - Begin Section

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 09/08/2011



Photo # TISL_C2_1138 - MP 0.22 - Sign

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1254 - MP 0.22 - Bridge -sf

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1255 - MP 0.08 - Begin Section

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1258 - MP 0.05 - Begin Section

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1259 - MP 0.11 - Bridge -sf

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1267 - MP 0.20 - Bridge -sf

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1260 - MP 0.31 - Begin Section

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1262 - MP 0.25 - Begin Section

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 09/08/2011



Photo # TISL_C2_1139 - MP 0.28 - Sign

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007




Photo # TISL_C2_1263 - MP 0.28 - Sign

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1264 - MP 0.28 - Begin Section

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1265 - MP 0.29 - Begin Section

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1266 - MP 0.30 - Sign

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1268 - MP 0.22 - Sign

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1271 - MP 0.18 - Begin Section

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1272 - MP 0.15 - Begin Section

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1273 - MP 0.15 - Bridge -sf

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1274 - MP 0.08 - Begin Section

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1275 - MP 0.07 - Begin Section

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T300
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1296 - MP 0.24 - Sign

TRAIL NUMBER: T302
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1297 - MP 0.00 - Trailhead

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T302
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1300 - MP 0.00 - Sign

TRAIL NUMBER: T302
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1298 - MP 0.00 - Sign

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T302
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1299 - MP 0.01 - Sign

TRAIL NUMBER: T302
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1302 - MP 0.03 - Sign

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T302
STATION: Tijuana Slough NWR
DATE: 09/09/2011



Photo # TISL_C2_1159 - MP 0.28 - Sign

TRAIL NUMBER: T302
STATION: Tijuana Slough NWR
DATE: 09/09/2011



Photo # TISL_C2_1160 - MP 0.39 - Sign

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T302
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1303 - MP 0.77 - Begin Section

TRAIL NUMBER: T302
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1309 - MP 0.39 - Begin Section

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T400
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1286 - MP 0.00 - Trailhead

TRAIL NUMBER: T400
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1287 - MP 0.02 - Sign

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T400
STATION: Tijuana Slough NWR
DATE: 09/09/2011



Photo # TISL_C2_1142 - MP 0.16 - Sign

TRAIL NUMBER: T400
STATION: Tijuana Slough NWR
DATE: 09/09/2011



Photo # TISL_C2_1143 - MP 0.26 - Sign

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T400
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1289 - MP 0.38 - Sign

TRAIL NUMBER: T400
STATION: Tijuana Slough NWR
DATE: 09/09/2011



Photo # TISL_C2_1144 - MP 0.45 - Sign

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T400
STATION: Tijuana Slough NWR
DATE: 09/09/2011



Photo # TISL_C2_1145 - MP 0.60 - Sign

TRAIL NUMBER: T400
STATION: Tijuana Slough NWR
DATE: 09/09/2011



Photo # TISL_C2_1146 - MP 0.73 - Sign

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T400
STATION: Tijuana Slough NWR
DATE: 09/09/2011



Photo # TISL_C2_1147 - MP 0.73 - Sign

TRAIL NUMBER: T400
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1291 - MP 0.90 - Sign

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T400
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1290 - MP 0.88 - Begin Section

TRAIL NUMBER: T400
STATION: Tijuana Slough NWR
DATE: 09/09/2011



Photo # TISL_C2_1149 - MP 0.91 - Sign

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T400
STATION: Tijuana Slough NWR
DATE: 09/09/2011



Photo # TISL_C2_1150 - MP 0.98 - Sign

TRAIL NUMBER: T400
STATION: Tijuana Slough NWR
DATE: 09/09/2011



Photo # TISL_C2_1151 - MP 1.06 - Sign

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T400
STATION: Tijuana Slough NWR
DATE: 09/09/2011



Photo # TISL_C2_1152 - MP 1.14 - Sign

TRAIL NUMBER: T400
STATION: Tijuana Slough NWR
DATE: 09/09/2011



Photo # TISL_C2_1153 - MP 1.17 - Sign

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T400
STATION: Tijuana Slough NWR
DATE: 09/09/2011



Photo # TISL_C2_1154 - MP 1.22 - Sign

TRAIL NUMBER: T400
STATION: Tijuana Slough NWR
DATE: 09/09/2011



Photo # TISL_C2_1155 - MP 1.38 - Sign

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T400
STATION: Tijuana Slough NWR
DATE: 09/09/2011



Photo # TISL_C2_1156 - MP 1.42 - Sign

TRAIL NUMBER: T400
STATION: Tijuana Slough NWR
DATE: 09/09/2011



Photo # TISL_C2_1157 - MP 1.54 - Sign

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T400
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1293 - MP 1.14 - Begin Section

TRAIL NUMBER: T400
STATION: Tijuana Slough NWR
DATE: 01/22/2007



Photo # TISL_C2_1294 - MP 0.73 - Begin Section

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T400
STATION: Tijuana Slough NWR
DATE: 09/09/2011



Photo # TISL_C2_1148 - MP 0.74 - Sign

TRAIL NUMBER: T400
STATION: Tijuana Slough NWR
DATE: 09/09/2011



Photo # TISL_C2_1158 - MP 0.92 - Sign

Glossary of Terms and Abbreviations

| | |
|--|---|
| Acc Info | Accessibility information available at trailhead. |
| Action | Action required to correct deficiency. |
| Admin Road | Administration Road. Admin Roads signed and advertised as trails are included in the trail inventory but a condition assessment is NOT done. |
| Alt SAMMS | SAMMS number of Alternate Facility Type. |
| Alt Type | Alternate Facility Type. Trail lies on a feature such as a levee, dam, administrative road or bridge, which has a separate SAMMS number. |
| AvgGrade | The average grade of the trail (%). The average of five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles. |
| AvgSlope | The average cross-slope of the trail (%). The average of five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles. |
| Check Dam | A small dam constructed across a drainage ditch, swale, or channel to lower the speed of concentrated flows. |
| Condition | Subjective rating of trail based on Facility Condition Index (FCI): FCI \leq .01 = Excellent FCI .02 - .05 = Good FCI .06 - .10 = Fair FCI .11 - .20 = Poor FCI $>$.20 = Failed |
| Crib Wall | Retaining wall. |
| Current Replacement Value (CRV) | The value of an asset determined by the estimated cost of replacing it. |
| Def type | Deficiency Type: Trail Structure, Drainage, Erosion, Obstacle, Trail Location, Other. |
| Deferred Maintenance (DM) | Maintenance that was not performed when scheduled. |

| | |
|---|---|
| Elem ID | Unique identifier for each trail section: Org Code-Trail Number-Section Number. |
| Facility Condition Index (FCI) | DM/CRV |
| Grouped Features | Grouped features include non-unique signs (mileposts, interpretive signs, species identification, etc.), water bars, check dams, steps, drain and drainage dips. For any given grouped feature, a GPS point and photo are taken for the first occurrence only and the total number of features in the group are entered into the “quantity” field of the data dictionary. |
| Info Type | Type of accessibility information available at trailhead: brochure, sign or other. |
| Item | Item on which the “Action” (see above) will be performed. |
| Manage_Use | Managed use of the trail: HIKE, BIKE, NSPC (non-specified), PACK, POR (portage), SNOWSHOE, XSKI (cross-country ski), OTHER. |
| MP | Distance of a trail feature or deficiency from the Trailhead. |
| Puncheon | Log footbridge used in area of poor drainage. |
| Raised Trail Structure | Boardwalk, Turnpike, Puncheon. |
| T Class | Trail Class: I-V (see Appendix ? for trail class descriptions). |
| Tr Desig | Trail Designation: Standard (Std), National Historic Trail (NHT), National Recreation Trail (NRT), National Scenic Trail (NST). |
| Turnpike | Trail tread elevated with dirt, rock or other aggregate from parallel side ditches and held in place by logs. |